

Asia-Pacific Academy of Ophthalmology (APAO)

Eye Diseases Clinical Trials Summary

(2016.1.1-2016.12.31)

Searched by Topics

(<http://www.clinicaltrials.gov>)

by Xiaoxin Li and Yujing Bai

on behalf of APAO Practice Guidelines Standing Committee

Table of Contents

- 1_ Acanthamoeba Keratitis
- 2_ Amblyopia
- 3_ Anterior Uveitis
- 4_ Astigmatism
- 5_ Behcet Syndrome
- 6_ Blepharospasm
- 7_ Blindness
- 8_ Cataract
- 9_ Central Serous Chorioretinopathy
- 10_ Chorioretinitis
- 11_ Choroidal Neovascularization
- 12_ Conjunctivitis
- 13_ Corneal Dystrophies, Hereditary
- 14_ Corneal Injuries
- 15_ Corneal Opacity
- 16_ Corneal Ulcer
- 17_ Diabetic Retinopathy
- 18_ Dry Eye Syndromes
- 19_ Endophthalmitis
- 20_ Exotropia
- 21_ Eye Neoplasms

22_ Eyelid Diseases

23_ Geographic Atrophy

24_ Glaucoma

25_ Graves Disease

26_ Keratitis

27_ Keratoconus

28_ Lens Diseases

29_ Macular Degeneration

30_ Macular Edema

31_ Myopia

32_ Neuromyelitis Optica

33_ Ocular Hypertension

34_ Ocular Motility Disorders

35_ Optic Nerve Disease

36_ Retinal Degeneration

37_ Retinal Vein Occlusion

38_ Retinopathy of Prematurity

39_ Uveal Diseases

40_ Low Vision

1_Acanthamoeba Keratitis

Rank	Status	Study	
1	Completed	Safety and Tolerability of Preservative-free Polyhexamethylene Biguanide (PHMB) Ophthalmic Solution in Healthy Subjects	
	Has Results	Condition:	Acanthamoeba Keratitis
		Interventions:	Drug: 0.04% PHMB; Drug: 0.06% PHMB; Drug: 0.08% PHMB; Drug: PHMB Vehicle

2_Amblyopia

Rank	Status	Study
1	Recruiting	Will Perceptual Learning Via Video Game Playing Improve Visual Acuity Stereopsis & Fixation Stability in Mild Amblyopes?
		Condition: Amblyopia
		Interventions: Device: Dichoptic video game on an iPod touch device Device: Video game on an iPod touch device

3_Anterior Uveitis

Rank	Status	Study
1	Recruiting	Topical 2% Ganciclovir Eye Drop for CMV Anterior Uveitis / Endotheliitis
		Condition: Cytomegalovirus Infections
		Intervention: Drug: 2% guttae ganciclovir

4_Astigmatism

Rank	Status	Study
1	Recruiting	Evaluating the Effect of Laser Vision Surgery, Phakic Intraocular Lens Implantation, Cataract Surgery, and Pupil Dilation on the Iris Recognition Scanner Function of Smartphone
		Conditions: Cataract; Myopia; Myopic Astigmatism
		Intervention: Device: iris recognition scanner
2	Recruiting	Study to Evaluate the Safety and Efficacy of HI-BRITE Large Diameter Rigid Gas Permeable Contact Lens
		Condition: Refractive Errors
		Intervention: Device: HI-BRITE large diameter rigid gas permeable contact lens
3	Recruiting	Changes of Visual Function, Ocular Surface Structures and Physiology After Long-Term Contact Lens Wear
		Conditions: Ocular Surface Disease; Keratoconus; Irregular Astigmatism
		Interventions: Device: corneal lenses; Device: large diameter lenses

5_Behcet Syndrome

Rank	Status	Study
1	Recruiting	A Prospective, Mono-Country and Multi-Center Study to Observe Safety and Effectiveness of Adalimumab in Korean Intestinal Behcet's Disease (BD) Patients
		Condition: Intestinal Behcet's Disease (BD)
		Intervention:

6_Blepharospasm

Rank	Status	Study
1	Recruiting	Safety and Efficacy of NABOTA in Treatment of Essential Blepharospasm
		Condition: Blepharospasm
		Intervention: Drug: Clostridium Botulinum Toxin Type A

7_Blindness

Rank	Status	Study
1	Recruiting	Stem Cells Therapy for Corneal Blindness
		Conditions: Corneal Injuries; Corneal Burns; Corneal Scars and Opacities
		Intervention: Biological: Ex-vivo cultivated limbal stem cell pool

8_Cataract

Rank	Status	Study
1	Completed	Comparing Ropivacaine and Bupivacaine in DTFNB Anesthesia in Patients Undergoing Phacoemulsification
		Conditions: Unilateral Cataract Pending Extraction; Anesthesia
		Interventions: Procedure: Deep Topical Fornix Nerve block anesthesia; Drug: Ropivacaine; Drug: Bupivacaine; Drug: Proparacaine
2	Completed	A Novel Congenital Cataract Category System
		Condition: Cataract
		Intervention:
3	Completed	Subfoveal Choroidal Thickness After Surgery for Age-related Cataracts
		Condition: Cataract
		Interventions: Procedure: Femtosecond laser-assisted cataract surgery; Procedure: Conventional phacoemulsification cataract surgery; Drug: Tropicamide; Drug: Proparacaine hydrochloride
4	Completed	Developmental Profile of Ocular Refraction in Patients With Congenital Cataract
		Condition: Cataract
		Intervention:
5	Completed	Congenital Cataract Morphological Classifications
		Condition: Congenital Cataract
		Intervention: Procedure: slit-lamp-adapted anterior segmental photography
6	Completed	Topical 0.1% Bromfenac Sodium and Prostaglandin E2 Inhibition in Cataract Surgery
		Condition: Cataract
		Interventions: Drug: 0.1% bromfenac ophthalmic solution; Procedure: femtosecond laser cataract surgery
7	Completed	An Interocular Comparative Study of Unilateral Cataract
		Condition: Cataract

8_Cataract

		Intervention:	
8	Recruiting	Effects of Hylo-Comod and Tears Naturale Forte in Patients After Phaco+IOL	
		Condition:	Age-related Cataract
		Interventions:	Drug: Hylo-Comod eye drop; Drug: Tears Naturale Forte eye drop
9	Recruiting	Comparison of Outcomes With Multifocal Intraocular Lenses	
		Condition:	Cataract
		Interventions:	Device: SN6AD1; Device: SBL-3; Device: LS-313 MF30; Device: AT LISA tri 839 MP; Device: ART; Device: LS-313 MF30T
10	Completed	The Variations of Macular Thickness in Juvenile Subjects	
		Condition:	Cataract; Macular Thickness
		Intervention:	
11	Completed	Validation of the Utility of Rare Disease Intelligence Platform	
		Conditions:	Cataract; Artificial Intelligence
		Intervention:	Device: CC-Cruiser
12	Recruiting	Evaluating the Effect of Laser Vision Surgery, Phakic Intraocular Lens Implantation, Cataract Surgery, and Pupil Dilation on the Iris Recognition Scanner Function of Smartphone	
		Conditions:	Cataract; Myopia; Myopic Astigmatism
		Intervention:	Device: iris recognition scanner
13	Recruiting	A Study Assessing Safety and Efficacy of MD-15 Intraocular Lens in Patients With Aphakic Eye After Cataract Surgery	
		Condition:	Cataract
		Intervention:	Device: MD-15 Intraocular Lens

9_Central Serous Chorioretinopathy

Rank	Status	Study
1	Enrolling by invitation	Treatment Trial for Acute Central Serous Chorioretinopathy
		Condition: Acute Central Serous Chorioretinopathy
		Interventions: Device: 577-MPL; Device: 577-TL
2	Active, not recruiting	Micropulse 577nm Laser vs Traditional Laser Treatment in Central Serous Chorioretinopathy
		Condition: Central Serous Choroidopathy
		Interventions: Device: 577-MPL; Device: TLT
3	Recruiting	Angiographic Characteristics of CSC, PCV Patients and Thrombotic Bio-markers
		Conditions: Central Serous Chorioretinopathy; Polypoidal Choroidal Vasculopathy
		Intervention: Other: Blood sampling

10_Chorioretinitis

Rank	Status	Study
1	Active, not recruiting	Safety and Efficacy Study of a Fluocinolone Acetonide Intravitreal (FAI) Insert in Subjects With Chronic Non-infectious Posterior Uveitis
		Conditions: Posterior Uveitis; Intermediate Uveitis; Panuveitis
		Interventions: Drug: Sham Injection; Drug: FAI Insert

11_Choroidal Neovascularization

Rank	Status	Study
1	Recruiting	Intravitreal Conbercept for Idiopathic Choroidal Neovascularization
		Condition: Idiopathic Choroidal Neovascularization
		Intervention: Drug: conbercept

12_Conjunctivitis

Rank	Status	Study	
1	Recruiting	Ocular Surface Disease in Chronic Graft-Versus-Host Disease (GVHD) Patients	
		Conditions:	Dry Eye; GVHD
		Intervention:	Other: Cross-sectional study
2	Recruiting	Exploring Immune Cell Signatures in Autoimmunity and Dry Eye Syndrome	
		Conditions:	Autoimmunity; Dry Eye Syndrome
		Intervention:	Other: Cross-sectional study

13_Corneal Dystrophies, Hereditary

Rank	Status	Study		
1	Recruiting	Topical Anesthesia for Closed PKP vs Retrobulbar Anesthesia for Open-sky PKP		
		<table border="1"> <tr> <td>Conditions:</td> <td>Corneal Opacity; Keratitis, Herpetic; Corneal Ulcer; Corneal Dystrophies, Hereditary</td> </tr> </table>	Conditions:	Corneal Opacity; Keratitis, Herpetic; Corneal Ulcer; Corneal Dystrophies, Hereditary
		Conditions:	Corneal Opacity; Keratitis, Herpetic; Corneal Ulcer; Corneal Dystrophies, Hereditary	
<table border="1"> <tr> <td>Interventions:</td> <td> Procedure: closed PKP under topical anesthesia; Procedure: open-sky PKP under retrobulbar anesthesia; Drug: Anti-Rejection Agents; Drug: Anti-Inflammatory Agents </td> </tr> </table>	Interventions:	Procedure: closed PKP under topical anesthesia; Procedure: open-sky PKP under retrobulbar anesthesia; Drug: Anti-Rejection Agents; Drug: Anti-Inflammatory Agents		
Interventions:	Procedure: closed PKP under topical anesthesia; Procedure: open-sky PKP under retrobulbar anesthesia; Drug: Anti-Rejection Agents; Drug: Anti-Inflammatory Agents			

14_Corneal Injuries

Rank	Status	Study	
1	Recruiting	Stem Cells Therapy for Corneal Blindness	
		Conditions:	Corneal Injuries; Corneal Burns; Corneal Scars and Opacities
		Intervention:	Biological: Ex-vivo cultivated limbal stem cell pool

15_Corneal Opacity

Rank	Status	Study
1	Recruiting	Topical Anesthesia for Closed PKP vs Retrobulbar Anesthesia for Open-sky PKP
		Conditions: Corneal Opacity; Keratitis, Herpetic; Corneal Ulcer; Corneal Dystrophies, Hereditary
		Interventions: Procedure: closed PKP under topical anesthesia; Procedure: open-sky PKP under retrobulbar anesthesia; Drug: Anti-Rejection Agents; Drug: Anti-Inflammatory Agents

16_Corneal Ulcer

Rank	Status	Study				
1	Recruiting	Topical Anesthesia for Closed PKP vs Retrobulbar Anesthesia for Open-sky PKP				
		<table border="1" style="width: 100%;"> <tr> <td style="width: 30%;">Conditions:</td> <td>Corneal Opacity; Keratitis, Herpetic; Corneal Ulcer; Corneal Dystrophies, Hereditary</td> </tr> <tr> <td>Interventions:</td> <td>Procedure: closed PKP under topical anesthesia; Procedure: open-sky PKP under retrobulbar anesthesia; Drug: Anti-Rejection Agents; Drug: Anti-Inflammatory Agents</td> </tr> </table>	Conditions:	Corneal Opacity; Keratitis, Herpetic; Corneal Ulcer; Corneal Dystrophies, Hereditary	Interventions:	Procedure: closed PKP under topical anesthesia; Procedure: open-sky PKP under retrobulbar anesthesia; Drug: Anti-Rejection Agents; Drug: Anti-Inflammatory Agents
		Conditions:	Corneal Opacity; Keratitis, Herpetic; Corneal Ulcer; Corneal Dystrophies, Hereditary			
Interventions:	Procedure: closed PKP under topical anesthesia; Procedure: open-sky PKP under retrobulbar anesthesia; Drug: Anti-Rejection Agents; Drug: Anti-Inflammatory Agents					
2	Enrolling by invitation	Mycotic Antimicrobial Localized Injection for Treatment of Corneal Ulcers				
		<table border="1" style="width: 100%;"> <tr> <td style="width: 30%;">Conditions:</td> <td>Corneal Ulcer; Fungal Keratitis</td> </tr> <tr> <td>Interventions:</td> <td>Drug: Intrastromal voriconazole; Drug: Natamycin</td> </tr> </table>	Conditions:	Corneal Ulcer; Fungal Keratitis	Interventions:	Drug: Intrastromal voriconazole; Drug: Natamycin
		Conditions:	Corneal Ulcer; Fungal Keratitis			
Interventions:	Drug: Intrastromal voriconazole; Drug: Natamycin					

17_Diabetic Retinopathy

Rank	Status	Study
1	Recruiting	Early Laser Treatment for Diabetic Eye Disease in China : A Pilot Randomized Trial
		Condition: Diabetic Retinopathy
		Intervention: Procedure: Pan-retinal photocoagulation laser treatment
2	Not yet recruiting	Diabetic Retinopathy Screening in Private Practice
		Condition: Diabetic Retinopathy
		Interventions: Other: Free screening group; Other: Pay screening group (\$150); Other: Pay screening group (\$300)
3	Recruiting	Intravitreal Injection of Ranibizumab Versus Sham Before Vitrectomy in Patients With Proliferative Diabetic Retinopathy
		Condition: Proliferative Diabetic Retinopathy
		Interventions: Drug: ranibizumab; Drug: sham; Procedure: pars plana vitrectomy
4	Active, not recruiting	Conbercept vs Panretinal Photocoagulation for the Management of Proliferative Diabetic Retinopathy
		Condition: Proliferative Diabetic Retinopathy
		Interventions: Drug: intravitreal injection of conbercept; Device: PRP
5	Recruiting	The Efficacy of Intravitreal Aflibercept Injection in Improvement of Retinal Nonperfusion in Diabetic Retinopathy
		Condition: Diabetic Retinopathy
		Intervention: Drug: Intravitreal Aflibercept injection
6	Recruiting	A Study Assessing Efficacy and Safety of OC-10X in the Treatment of PDR
		Condition: Proliferative Diabetic Retinopathy (PDR)
		Interventions: Drug: 2% OC-10X; Drug: Placebo Comparator

18_Dry Eye Syndrome

Rank	Status	Study
1	Recruiting	Comparison of the Clinical Effects of Two Tear Substitutes in Patients With Dry Eye Syndrome
		Condition: Dry Eye
		Interventions: Drug: Liposic; Drug: Tears Naturale Forte
2	Not yet recruiting	Acupuncture for Primary Sjögren Syndrome
		Condition: Sjogren's Syndrome
		Interventions: Device: acupuncture group; Device: Sham Acupuncture group
3	Completed	The Effect of Oral Zanthoxylum Schinifolium Seed Oil in Individuals With Dry Eye Disease
		Condition: Dry Eye Syndrome
		Interventions: Dietary Supplement: Zanthoxylum Schinifolium Seed Oil(4g/day); Dietary Supplement: Soy Bean Oil;placebo(4g/day)
4	Recruiting	Efficacy and Safety Study of HU00701/HU007 Eye Drops in Patients With Dry Eye Syndrome
		Condition: Dry Eye Syndrome
		Interventions: Drug: HU00701; Drug: HU007; Drug: Restasis; Drug: Placebo
5	Recruiting	Study to Evaluate the Efficacy and Safety of CKD-350
		Condition: Dry Eye Syndrome
		Interventions: Drug: Xenobella; Drug: Isotonic 0.3% Sodium Hyaluronate
6	Enrolling by invitation	Comparing the Quality of Topical Autologous Serum in Different Etiologies of Dry Eye Syndrome
		Condition: Dry Eye Syndrome
		Intervention:
7	Recruiting	Topical Ophthalmic AGN-195263 for the Treatment of Evaporative Dry Eye
		Condition: Dry Eye Syndrome
		Interventions: Drug: AGN-195263; Drug: Vehicle

18_Dry Eye Syndrome

8	Recruiting	<u>Modulation of Immunity-related Gene Expression Under the Chinese Herbal Formula SS-1 Treatment for Sjögren's Syndrome</u>	
		Condition:	Sjögren's Syndrome
		Interventions:	Drug: SS-1; Drug: Placebo
9	Not yet recruiting	<u>The Effect of Platelet Lysate on Corneal Epithelial Wound healing---the Collection of Human Serum From Volunteers</u>	
		Condition:	Comparison of Epitheliotropic Ability Between Human Serum and Commercialized Human Platelet- Cell and Animal Model
		Intervention:	
10	Recruiting	<u>Topical Ophthalmic AGN-195263 for the Treatment of Evaporative Dry Eye</u>	
		Condition:	Dry Eye Syndrome
		Interventions:	Drug: AGN-195263; Drug: Vehicle
11	Recruiting	<u>Ocular Surface Disease in Chronic Graft-Versus-Host Disease (GVHD) Patients</u>	
		Conditions:	Dry Eye; GVHD
		Intervention:	Other: Cross-sectional study
12	Recruiting	<u>Exploring Immune Cell Signatures in Autoimmunity and Dry Eye Syndrome</u>	
		Conditions:	Autoimmunity; Dry Eye Syndrome
		Intervention:	Other: Cross-sectional study

19_Endophthalmitis

Rank	Status	Study
1	Recruiting	Endophthalmitis After Intravitreal Anti-VEGF Injections in Patients Receiving vs. Not Receiving Topical Antibiotics
		Condition: Endophthalmitis
		Intervention: Drug: Topical antibiotics following injection

20_Exotropia

Rank	Status	Study
1	Recruiting	Study of Surgical Treatment Versus Observation in Children With Moderate Intermittent Exotropia
		Condition: Moderate Intermittent Exotropia
		Intervention: Procedure: recession or resection of the horizontal extraocular muscles
2	Recruiting	Protective Effect of Biodegradable Collagen Implant (Ologen) in Scleral Thinning After Strabismus Surgery
		Condition: Exotropia or Intermittent Exotropia
		Interventions: Device: lateral rectus recession with biodegradable collagen implant; Procedure: Lateral rectus recession without biodegradable collagen implantation

21_Eye Neoplasms

Rank	Status	Study	
1	Recruiting	Postoperative Pain in Orbital Disease and Ocular Tumor	
		Condition:	Postoperative Pain
		Intervention:	Procedure: general anesthesia, orbital operation

22_Eyelid Diseases

Rank	Status	Study
1	Recruiting	Safety and Efficacy of NABOTA in Treatment of Essential Blepharospasm
		Condition: Blepharospasm
		Intervention: Drug: Clostridium Botulinum Toxin Type A
2	Recruiting	The Effect of Preoperative Ketamine on the Emergence Characteristics in Children Undergoing Entropion Surgery
		Condition: Entropion
		Interventions: Drug: Sevoflurane; Drug: Desflurane
3	Recruiting	Botulinum Toxin to Improve Lower Blepharoplasty Scar
		Condition: Other Degenerative Disorders of Eyelid and Periocular Area
		Interventions: Drug: Botulinum Toxin; Other: Normal Saline

23_Geographic Atrophy

Rank	Status	Study
1	Recruiting	Subretinal Transplantation of Retinal Pigment Epitheliums in Treatment of Age-related Macular Degeneration Diseases
		Condition: Nonexudative Age-related Macular Degeneration
		Intervention:
2	Not yet recruiting	Efficacy and Safety Study of CNTO 2476 in Participants With Visual Acuity Impairment Associated With Geographic Atrophy (GA) Secondary to Age Related Macular Degeneration (AMD)
		Conditions: Visual Acuity; Geographic Atrophy; Macular Degeneration
		Interventions: Drug: CNTO 2476 (6.0 x 10 ⁴ cells); Drug: CNTO 2476 (3.0 x 10 ⁵ cells)
3	Recruiting	Long-Term Safety of Lampalizumab Intravitreal (ITV) Injections in Participants With Geographic Atrophy (GA) Secondary to Age-Related Macular Degeneration (OMASPECT)
		Condition: Geographic Atrophy
		Intervention: Drug: Lampalizumab

24_Glaucoma

Rank	Status	Study
1	Recruiting	A Long-term Study of DE-117 Ophthalmic Solution Monotherapy and Concomitant Use of DE-117 Ophthalmic Solution With Timolol Ophthalmic Solution in Patients With OAG or OH: RENGE Study
		Condition: Open Angle Glaucoma or Ocular Hypertension
		Interventions: Drug: DE-117 ophthalmic solution; Drug: Timolol ophthalmic solution
2	Recruiting	A Study Assessing the Safety and Efficacy of DE-117 in Subjects With POAG or OH Who Are Non-/Low-responders to Latanoprost: FUJI Study
		Condition: Primary Open Angle Glaucoma or Ocular Hypertension
		Interventions: Drug: DE-117 ophthalmic solution; Drug: Latanoprost ophthalmic solution 0.005%
3	Active, not recruiting	A Trial of China Laser and Surgery Study Glaucoma in Rural China
		Condition: Glaucoma
		Intervention: Device: SLT laser
4	Completed	Associations of Vitamin D Receptor ApaI and Tru9I Polymorphisms With the Risk of Primary Open-angle Glaucoma
		Condition: Primary Open-Angle Glaucoma
		Intervention: Other: Vitamin D receptor polymorphic analysis
5	Recruiting	KJ-TFC-004 Drug-drug Interaction Study
		Conditions: Glaucoma; Eye Diseases; Ocular Hypertension
		Interventions: Drug: [A]; Drug: [B]; Drug: [A]+[B](1); Drug: [A]+[B](2)
6	Recruiting	Efficacy and Safety of COMBIGAN® in Korean Patients With Primary Open Angle Glaucoma (POAG) and Normal Tension Glaucoma (NTG)
		Conditions: Glaucoma, Open-Angle; Normal Tension Glaucoma
		Interventions: Drug: brimonidine tartrate/timolol malate ophthalmic solution; Drug: bimatoprost ophthalmic solution 0.01%

24_Glaucoma

7	Recruiting	A Phase III Study Assessing the Safety and Efficacy of DE-117 Ophthalmic Solution Compared With Latanoprost Ophthalmic Solution in Subjects With OAG or OHT	
		Condition:	Open Angle Glaucoma or Ocular Hypertension
		Interventions:	Drug: DE-117; Drug: Latanoprost ophthalmic solution

25_Graves Disease

Rank	Status	Study				
1	Recruiting	Comparison of SUV Using SPECT/CT Between Graves Disease Patients and Normal Humans				
		<table border="1"> <tr> <td>Conditions:</td> <td>Hyperthyroidism; Tomography; Emission-Computed; Single-Photon</td> </tr> <tr> <td>Intervention:</td> <td></td> </tr> </table>	Conditions:	Hyperthyroidism; Tomography; Emission-Computed; Single-Photon	Intervention:	
		Conditions:	Hyperthyroidism; Tomography; Emission-Computed; Single-Photon			
Intervention:						
2	Completed	A Evaluation of High Intensity Focused Ultrasound (HIFU) in the Treatment of Relapsed Graves Disease				
		<table border="1"> <tr> <td>Condition:</td> <td>Relapsed Graves Disease</td> </tr> <tr> <td>Intervention:</td> <td>Device: HIFU Graves</td> </tr> </table>	Condition:	Relapsed Graves Disease	Intervention:	Device: HIFU Graves
		Condition:	Relapsed Graves Disease			
Intervention:	Device: HIFU Graves					

26_ Keratitis

Rank	Status	Study				
1	Recruiting	Topical Anesthesia for Closed PKP vs Retrobulbar Anesthesia for Open-sky PKP				
		<table border="1" style="width: 100%;"> <tr> <td style="width: 30%;">Conditions:</td> <td>Corneal Opacity; Keratitis, Herpetic; Corneal Ulcer; Corneal Dystrophies, Hereditary</td> </tr> <tr> <td>Interventions:</td> <td>Procedure: closed PKP under topical anesthesia; Procedure: open-sky PKP under retrobulbar anesthesia; Drug: Anti-Rejection Agents; Drug: Anti-Inflammatory Agents</td> </tr> </table>	Conditions:	Corneal Opacity; Keratitis, Herpetic; Corneal Ulcer; Corneal Dystrophies, Hereditary	Interventions:	Procedure: closed PKP under topical anesthesia; Procedure: open-sky PKP under retrobulbar anesthesia; Drug: Anti-Rejection Agents; Drug: Anti-Inflammatory Agents
		Conditions:	Corneal Opacity; Keratitis, Herpetic; Corneal Ulcer; Corneal Dystrophies, Hereditary			
Interventions:	Procedure: closed PKP under topical anesthesia; Procedure: open-sky PKP under retrobulbar anesthesia; Drug: Anti-Rejection Agents; Drug: Anti-Inflammatory Agents					
2	Recruiting	Comparison of the Clinical Effects of Two Tear Substitutes in Patients With Dry Eye Syndrome				
		<table border="1" style="width: 100%;"> <tr> <td style="width: 30%;">Condition:</td> <td>Dry Eye</td> </tr> <tr> <td>Interventions:</td> <td>Drug: Liposic; Drug: Tears Naturale Forte</td> </tr> </table>	Condition:	Dry Eye	Interventions:	Drug: Liposic; Drug: Tears Naturale Forte
		Condition:	Dry Eye			
Interventions:	Drug: Liposic; Drug: Tears Naturale Forte					
3	Completed	The Effect of Oral Zanthoxylum Schinifolium Seed Oil in Individuals With Dry Eye Disease				
		<table border="1" style="width: 100%;"> <tr> <td style="width: 30%;">Condition:</td> <td>Dry Eye Syndromes</td> </tr> <tr> <td>Interventions:</td> <td>Dietary Supplement: Zanthoxylum Schinifolium Seed Oil (4g/day); Dietary Supplement: Soy Bean Oil; placebo (4g/day)</td> </tr> </table>	Condition:	Dry Eye Syndromes	Interventions:	Dietary Supplement: Zanthoxylum Schinifolium Seed Oil (4g/day); Dietary Supplement: Soy Bean Oil; placebo (4g/day)
		Condition:	Dry Eye Syndromes			
Interventions:	Dietary Supplement: Zanthoxylum Schinifolium Seed Oil (4g/day); Dietary Supplement: Soy Bean Oil; placebo (4g/day)					
4	Recruiting	Efficacy and Safety Study of HU00701/HU007 Eye Drops in Patients With Dry Eye Syndrome				
		<table border="1" style="width: 100%;"> <tr> <td style="width: 30%;">Condition:</td> <td>Dry Eye Syndrome</td> </tr> <tr> <td>Interventions:</td> <td>Drug: HU00701; Drug: HU007; Drug: Restasis; Drug: Placebo</td> </tr> </table>	Condition:	Dry Eye Syndrome	Interventions:	Drug: HU00701; Drug: HU007; Drug: Restasis; Drug: Placebo
		Condition:	Dry Eye Syndrome			
Interventions:	Drug: HU00701; Drug: HU007; Drug: Restasis; Drug: Placebo					
5	Recruiting	Study to Evaluate the Efficacy and Safety of CKD-350				
		<table border="1" style="width: 100%;"> <tr> <td style="width: 30%;">Condition:</td> <td>Dry Eye Syndrome</td> </tr> <tr> <td>Interventions:</td> <td>Drug: Xenobella; Drug: Isotonic 0.3% Sodium Hyaluronate</td> </tr> </table>	Condition:	Dry Eye Syndrome	Interventions:	Drug: Xenobella; Drug: Isotonic 0.3% Sodium Hyaluronate
		Condition:	Dry Eye Syndrome			
Interventions:	Drug: Xenobella; Drug: Isotonic 0.3% Sodium Hyaluronate					
6	Recruiting	Retrospective Study of Acanthamoebic Keratitis During the Past 10 Years				
		<table border="1" style="width: 100%;"> <tr> <td style="width: 30%;">Condition:</td> <td>Acanthamoeba Keratitis</td> </tr> <tr> <td>Intervention:</td> <td>Other: no intervention</td> </tr> </table>	Condition:	Acanthamoeba Keratitis	Intervention:	Other: no intervention
		Condition:	Acanthamoeba Keratitis			
Intervention:	Other: no intervention					
7	Enrolling by invitation	Comparing the Quality of Topical Autologous Serum in Different Etiologies of Dry Eye Syndrome				
		<table border="1" style="width: 100%;"> <tr> <td style="width: 30%;">Condition:</td> <td>Dry Eye Syndrome</td> </tr> </table>	Condition:	Dry Eye Syndrome		
Condition:	Dry Eye Syndrome					

26_ Keratitis

		Intervention:	
8	Recruiting	Topical Ophthalmic AGN-195263 for the Treatment of Evaporative Dry Eye	
		Condition:	Dry Eye Syndrome
		Interventions:	Drug: AGN-195263; Drug: Vehicle
9	Enrolling by invitation	Mycotic Antimicrobial Localized Injection for Treatment of Corneal Ulcers	
		Conditions:	Corneal Ulcer; Fungal Keratitis
		Interventions:	Drug: Intrastromal voriconazole; Drug: Natamycin
10	Recruiting	Ocular Surface Disease in Chronic Graft-Versus-Host Disease (GVHD) Patients	
		Conditions:	Dry Eye; GVHD
		Intervention:	Other: Cross-sectional study
11	Recruiting	Exploring Immune Cell Signatures in Autoimmunity and Dry Eye Syndrome	
		Conditions:	Autoimmunity; Dry Eye Syndrome
		Intervention:	Other: Cross-sectional study

27_Keratoconus

Rank	Status	Study
1	Recruiting	Epi-keratoplasty Versus Collagen Cross-Linking in Progressive Keratoconus
		Condition: Progressive Keratoconus
		Interventions: Procedure: Epi-keratoplasty; Procedure: Collagen Cross-Linking; Device: Femtosecond laser
2	Recruiting	Changes of Visual Function, Ocular Surface Structures and Physiology After Long-Term Contact Lens Wear
		Conditions: Ocular Surface Disease; Keratoconus; Irregular Astigmatism
		Interventions: Device: corneal lenses; Device: large diameter lenses

28_Lens Diseases

Rank	Status	Study
1	Recruiting	Effects of Hylo-Comod and Tears Naturale Forte in Patients After Phaco+IOL
		Condition: Age-related Cataract
		Interventions: Drug: Hylo-Comod eye drop; Drug: Tears Naturale Forte eye drop
2	Completed	The Variations of Macular Thickness in Juvenile Subjects
		Condition: Cataract; Macular Thickness
		Intervention:
3	Completed	Developmental Profile of Ocular Refraction in Patients With Congenital Cataract
		Condition: Cataract
		Intervention:
4	Completed	Topical 0.1% Bromfenac Sodium and Prostaglandin E2 Inhibition in Cataract Surgery
		Condition: Cataract
		Interventions: Drug: 0.1% bromfenac ophthalmic solution; Procedure: femtosecond laser cataract surgery
5	Completed	A Novel Congenital Cataract Category System
		Condition: Cataract
		Intervention:
6	Completed	Subfoveal Choroidal Thickness After Surgery for Age-related Cataracts
		Condition: Cataract
		Interventions: Procedure: Femtosecond laser-assisted cataract surgery; Procedure: Conventional phacoemulsification cataract surgery; Drug: Tropicamide; Drug: Proparacaine hydrochloride
7	Completed	An Interocular Comparative Study of Unilateral Cataract
		Condition: Cataract
		Intervention:
8	Completed	Congenital Cataract Morphological Classifications

28_Lens Diseases

		Condition:	Congenital Cataract
		Intervention:	Procedure: slit-lamp-adapted anterior segmental photography
9	Recruiting	Comparison of Outcomes With Multifocal Intraocular Lenses	
		Condition:	Cataract
		Interventions:	Device: SN6AD1; Device: SBL-3; Device: LS-313 MF30; Device: AT LISA tri 839 MP; Device: ART; Device: LS-313 MF30T
10	Completed	Validation of the Utility of Rare Disease Intelligence Platform	
		Conditions:	Cataract; Artificial Intelligence
		Intervention:	Device: CC-Cruiser
11	Recruiting	Evaluating the Effect of Laser Vision Surgery, Phakic Intraocular Lens Implantation, Cataract Surgery, and Pupil Dilation on the Iris Recognition Scanner Function of Smartphone	
		Conditions:	Cataract; Myopia; Myopic Astigmatism
		Intervention:	Device: iris recognition scanner
12	Recruiting	A Study Assessing Safety and Efficacy of MD-15 Intraocular Lens in Patients With Aphakic Eye After Cataract Surgery	
		Condition:	Cataract
		Intervention:	Device: MD-15 Intraocular Lens
13	Completed	Comparing Ropivacaine and Bupivacaine in DTFNB Anesthesia in Patients Undergoing Phacoemulsification	
		Conditions:	Cataract Unilateral Pending Extraction; Anesthesia
		Interventions:	Procedure: Deep Topical Fornix Nerve block anesthesia; Drug: Ropivacaine; Drug: Bupivacaine; Drug: Proparacaine
14	Recruiting	Precisight® Intraocular Lens Implantation for Cataract Treatment	
		Condition:	Cataract Senile
		Intervention:	Device: Intraocular implant of the Precisight

29_Macular Degeneration

Rank	Status	Study
1	Recruiting	Subretinal Transplantation of Retinal Pigment Epitheliums in Treatment of Age-related Macular Degeneration Diseases
		Condition: Nonexudative Age-related Macular Degeneration
		Intervention:
2	Recruiting	Clinical Study of Subretinal Transplantation of Human Embryo Stem Cell Derived Retinal Pigment Epitheliums in Treatment of Macular Degeneration Diseases
		Conditions: Macular Degeneration; Stargardt's Macular Dystrophy
		Intervention: Procedure: Subretinal transplantation
3	Active, not recruiting	Treatment of Age-related Macular Degeneration by Fetal Retinal Pigment Epithelial Cells Transplantation
		Conditions: Age Related Macular Degeneration; Macular Degeneration;
		Intervention: Drug: fRPE cells
4	Not yet recruiting	A Study Comparing Efficacy and Safety of "Treat-and-Extend" Regimen Versus PRN of Conbercept in AMD
		Condition: Age-related Macular Degeneration
		Interventions: Procedure: Treat-and-Extend regimen; Procedure: Pro Re Nata; Drug: Conbercept
5	Recruiting	Efficacy of Fixed Monthly Dosing of Ranibizumab in Neovascular Age-related Macular Degeneration
		Condition: Wet Macular Degeneration
		Intervention: Drug: Lucentis
6	Recruiting	Cytokeratin 8 Level in Age-related Macular Degeneration
		Condition: Age-related Macular Degeneration
		Intervention: Drug: Ranibizumab
7	Recruiting	"Stop Early Age-related Macular Degeneration (AMD) From Vision Loss Eternally" Study
		Conditions: Age-Related Macular Degeneration; Retinal Drusen
		Interventions: Procedure: Subthreshold Laser Photocoagulation; Drug: intravitreal Anti-VEGF injection; Device: Subthreshold Laser

29_Macular Degeneration

8	Not yet recruiting	Intraocular Cytokine in Recurrence of Polypoidal Choroidal Vasculopathy	
		Conditions:	Exudative Age-related Macular Degeneration; Polypoidal Choroidal Vasculopathy
		Intervention:	Drug: ranibizumab
9	Recruiting	Treat-and-extend Regimen of Aflibercept in Diabetic Macular Edema (VIBIM Study)	
		Condition:	Macular Edema, Diabetic
		Intervention:	Drug: aflibercept
10	Not yet recruiting	Efficacy and Safety Study of CNTO 2476 in Participants With Visual Acuity Impairment Associated With Geographic Atrophy (GA) Secondary to Age Related Macular Degeneration (AMD)	
		Conditions:	Visual Acuity; Geographic Atrophy; Macular Degeneration
		Interventions:	Drug: CNTO 2476 (6.0 x 10 ⁴ cells); Drug: CNTO 2476 (3.0 x 10 ⁵ cells)
11	Recruiting	Study to Show a Superior Benefit in Terms of Reduction of Ranibizumab Injections in Patients Receiving Ranibizumab Plus Laser Photocoagulation Combination Therapy Without Loss of Efficacy and Safety	
		Condition:	Macular Edema Secondary to Branch Retinal Vein Occlusion (BRVO)
		Interventions:	Biological: Ranibizumab; Radiation: Grid & Direct short pulse laser photocoagulation
12	Recruiting	Long-Term Safety of Lampalizumab Intravitreal (ITV) Injections in Participants With Geographic Atrophy (GA) Secondary to Age-Related Macular Degeneration (OMASPECT)	
		Condition:	Geographic Atrophy
		Intervention:	Drug: Lampalizumab
13	Recruiting	Study of OZURDEX® in the Treatment of Diabetic Macular Oedema (DME) in Australia - The AUSSIEDEX Study	
		Condition:	Diabetic Macular Oedema
		Intervention:	Drug: dexamethasone intravitreal implant
14	Recruiting	Evaluation of a Treat and Extend Regimen of Intravitreal Aflibercept for Macular Edema Secondary to CRVO	
		Condition:	Central Retinal Vein Occlusion
		Intervention:	Drug: Eylea (Aflibercept, VEGF Trap-Eye, BAY86-5321)

30_Macular Edema

Rank	Status	Study	
1	Recruiting	Treat-and-extend Regimen of Aflibercept in Diabetic Macular Edema (VIBIM Study)	
		Condition:	Macular Edema, Diabetic
		Intervention:	Drug: aflibercept
2	Recruiting	Study of OZURDEX® in the Treatment of Diabetic Macular Oedema (DME) in Australia - The AUSSIEDEX Study	
		Condition:	Diabetic Macular Oedema
		Intervention:	Drug: dexamethasone intravitreal implant
3	Recruiting	Evaluation of a Treat and Extend Regimen of Intravitreal Aflibercept for Macular Edema Secondary to CRVO	
		Condition:	Central Retinal Vein Occlusion
		Intervention:	Drug: Eylea (Aflibercept, VEGF Trap-Eye, BAY86-5321)
4	Recruiting	Study to Show a Superior Benefit in Terms of Reduction of Ranibizumab Injections in Patients Receiving Ranibizumab Plus Laser Photocoagulation Combination Therapy Without Loss of Efficacy and Safety	
		Condition:	Macular Edema Secondary to Branch Retinal Vein Occlusion (BRVO)
		Interventions:	Biological: Ranibizumab; Radiation: Grid&Direct short pulse laser photocoagulation

31_Myopia

Rank	Status	Study
1	Recruiting	The Relationship Between Structure and Visual Function in Myopia Foveoschisis
		Condition: High Myopia
		Intervention: Procedure: macular buckling surgery
2	Completed	The Evolutionary Model of Mild-to-moderate Myopia in China
		Condition: Refractive Error
		Intervention:
3	Not yet recruiting	Combined Atropine With Orthokeratology in Childhood Myopia Control (AOK) -A Randomized Controlled Trial
		Condition: Myopia
		Interventions: Drug: 0.01% atropine eye drops; Device: ortho-k
4	Recruiting	Shamir Aspheric Ophthalmic Lenses (MyLens) for Myopic Control Clinical Trial
		Condition: Myopia
		Intervention: Device: Aspheric lens
5	Recruiting	Evaluating the Effect of Laser Vision Surgery, Phakic Intraocular Lens Implantation, Cataract Surgery, and Pupil Dilation on the Iris Recognition Scanner Function of Smartphone
		Conditions: Cataract; Myopia; Myopic Astigmatism
		Intervention: Device: iris recognition scanner
6	Recruiting	Study to Evaluate the Safety and Efficacy of HI-BRITE Large Diameter Rigid Gas Permeable Contact Lens
		Condition: Refractive Errors
		Intervention: Device: HI-BRITE Large Diameter Rigid Gas Permeable Contact Lens
7	Recruiting	Comparison of Next Generation Laser Techniques of Myopia Correction: iDesign vs. SMILE
		Condition: Myopia
		Interventions: Other: iDesign; Other: SMILE

32_Neuromyelitis Optica

Rank	Status	Study
1	Active, not recruiting	Efficacy and Safety of Bortezomib as add-on Treatment in Relapsing Neuromyelitis Optica Spectrum Disorder
		Condition: Neuromyelitis Optica Spectrum Disorder
		Intervention: Drug: Bortezomib
2	Recruiting	Multimodel Magnetic Resonance Imaging (MRI)of Multiple Sclerosis and Neuromyelitis Optica Spectrum Disorders
		Conditions: Multiple Sclerosis; Neuromyelitis Optica Spectrum Disorders
		Intervention: Other: Magnetic Resonance Imaging

33_Ocular Hypertension

Rank	Status	Study
1	Active, not recruiting	A Trial of China Laser and Surgery Study Glaucoma in Rural China
		Condition: Glaucoma
		Intervention: Device: SLT laser
2	Completed	Associations of Vitamin D Receptor ApaI and Tru9I Polymorphisms With the Risk of Primary Open-angle Glaucoma
		Condition: Primary Open-Angle Glaucoma
		Intervention: Other: Vitamin D receptor polymorphic analysis
3	Recruiting	KJ-TFC-004 Drug-drug Interaction Study
		Conditions: Glaucoma; Eye Diseases; Ocular Hypertension
		Interventions: Drug: [A]; Drug: [B]; Drug: [A]+[B](1); Drug: [A]+[B](2)
4	Recruiting	Efficacy and Safety of COMBIGAN® in Korean Patients With Primary Open Angle Glaucoma (POAG) and Normal Tension Glaucoma (NTG)
		Conditions: Glaucoma, Open-Angle; Normal Tension Glaucoma
		Interventions: Drug: brimonidine tartrate/timolol malate ophthalmic solution; Drug: bimatoprost ophthalmic solution 0.01%
5	Recruiting	A Long-term Study of DE-117 Ophthalmic Solution Monotherapy and Concomitant Use of DE-117 Ophthalmic Solution With Timolol Ophthalmic Solution in Patients With OAG or OH: RENGE Study
		Condition: Open Angle Glaucoma or Ocular Hypertension
		Interventions: Drug: DE-117 ophthalmic solution; Drug: Timolol ophthalmic solution
6	Recruiting	A Study Assessing the Safety and Efficacy of DE-117 in Subjects With POAG or OH Who Are Non-/Low-responders to Latanoprost: FUJI Study
		Condition: Primary Open Angle Glaucoma or Ocular Hypertension
		Interventions: Drug: DE-117 ophthalmic solution; Drug: Latanoprost ophthalmic solution 0.005%

33_Ocular Hypertension

7	Recruiting	A Phase III Study Assessing the Safety and Efficacy of DE-117 Ophthalmic Solution Compared With Latanoprost Ophthalmic Solution in Subjects With OAG or OHT	
		Condition:	Open Angle Glaucoma or Ocular Hypertension
		Interventions:	Drug: DE-117; Drug: Latanoprost ophthalmic solution

34_Ocular Motility Disorders

Rank	Status	Study
1	Recruiting	Study of Surgical Treatment Versus Observation in Children With Moderate Intermittent Exotropia
		Condition: Moderate Intermittent Exotropia
		Intervention: Procedure: recession or resection of the horizontal extraocular muscles
2	Recruiting	Protective Effect of Biodegradable Collagen Implant (Ologen) in Scleral Thinning After Strabismus Surgery
		Condition: Exotropia or Intermittent Exotropia
		Interventions: Device: lateral rectus recession with biodegradable collagen implant; Procedure: Lateral rectus recession without biodegradable collagen implantation
3	Recruiting	Factors Associated With Postoperative Strabismus After Floor Fracture Repair
		Conditions: Orbital Fractures; Strabismus
		Intervention: Procedure: Floor repair surgery

35_Optic Nerve Disease

Rank	Status	Study
1	Recruiting	Surgery for Traumatic Optic Neuropathy
		Condition: Traumatic Optic Neuropathy
		Interventions: Procedure: Optic canal and optic nerve sheath decompression; Drug: methylprednisolone
2	Recruiting	Gypenosides Treatment for Optic Neuritis
		Condition: Optic Neuritis
		Interventions: Drug: Gypenosides; Drug: Placebo
3	Recruiting	The Correlation Between AQP-4 Ab and the Visual Function of Patients With Demyelinating ON at Onset
		Condition: Optic Neuritis
		Intervention: Biological: blood test of anti-AQP4 antibody
4	Active, not recruiting	Efficacy and Safety of Bortezomib as add-on Treatment in Relapsing Neuromyelitis Optica Spectrum Disorder
		Condition: Neuromyelitis Optica Spectrum Disorder
		Intervention: Drug: Bortezomib
5	Recruiting	Multimodel Magnetic Resonance Imaging (MRI) of Multiple Sclerosis and Neuromyelitis Optica Spectrum Disorders
		Conditions: Multiple Sclerosis; Neuromyelitis Optica Spectrum Disorders
		Intervention: Other: Magnetic Resonance Imaging
6	Recruiting	Efficacy and Safety of COMBIGAN® in Korean Patients With Primary Open Angle Glaucoma (POAG) and Normal Tension Glaucoma (NTG)
		Conditions: Glaucoma, Open-Angle; Normal Tension Glaucoma
		Interventions: Drug: brimonidine tartrate/timolol malate ophthalmic solution; Drug: bimatoprost ophthalmic solution 0.01%

36_Retinal Degeneration

Rank	Status	Study
1	Recruiting	Subretinal Transplantation of Retinal Pigment Epitheliums in Treatment of Age-related Macular Degeneration Diseases
		Condition: Nonexudative Age-related Macular Degeneration
		Intervention:
2	Active, not recruiting	Treatment of Age-related Macular Degeneration by Fetal Retinal Pigment Epithelial Cells Transplantation
		Conditions: Age Related Macular Degeneration; Macular Degeneration; AMD
		Intervention: Drug: fRPE cells
3	Recruiting	Clinical Study of Subretinal Transplantation of Human Embryo Stem Cell Derived Retinal Pigment Epitheliums in Treatment of Macular Degeneration Diseases
		Conditions: Macular Degeneration; Stargardt's Macular Dystrophy
		Intervention: Procedure: Subretinal transplantation
4	Not yet recruiting	A Study Comparing Efficacy and Safety of "Treat-and-Extend" Regimen Versus PRN of Conbercept in AMD
		Condition: Age-related Macular Degeneration
		Interventions: Procedure: Treat-and-Extend regimen; Procedure: Pro Re Nata; Drug: Conbercept
5	Recruiting	"Stop Early Age-related Macular Degeneration (AMD) From Vision Loss Eternally" Study
		Conditions: Age-Related Macular Degeneration; Retinal Drusen
		Interventions: Procedure: Subthreshold Laser Photocoagulation; Drug: intravitreal Anti-VEGF injection; Device: Subthreshold Laser
6	Recruiting	Efficacy of Fixed Monthly Dosing of Ranibizumab in Neovascular Age-related Macular Degeneration
		Condition: Wet Macular Degeneration
		Intervention: Drug: Lucentis
7	Recruiting	Cytokeratin 8 Level in Age-related Macular Degeneration
		Condition: Age-related Macular Degeneration
		Intervention: Drug: Ranibizumab

36_Retinal Degeneration

8	Not yet recruiting	Intraocular Cytokine in Recurrence of Polypoidal Choroidal Vasculopathy	
		Conditions:	Exudative Age-related Macular Degeneration; Polypoidal Choroidal Vasculopathy
		Intervention:	Drug: ranibizumab
9	Recruiting	Treat-and-extend Regimen of Aflibercept in Diabetic Macular Edema (VIBIM Study)	
		Condition:	Macular Edema, Diabetic
		Intervention:	Drug: aflibercept
10	Not yet recruiting	Efficacy and Safety Study of CNTO 2476 in Participants With Visual Acuity Impairment Associated With Geographic Atrophy (GA) Secondary to Age Related Macular Degeneration (AMD)	
		Conditions:	Visual Acuity; Geographic Atrophy; Macular Degeneration
		Interventions:	Drug: CNTO 2476 (6.0 x 10 ⁴ cells); Drug: CNTO 2476 (3.0 x 10 ⁵ cells)
11	Recruiting	Study to Show a Superior Benefit in Terms of Reduction of Ranibizumab Injections in Patients Receiving Ranibizumab Plus Laser Photocoagulation Combination Therapy Without Loss of Efficacy and Safety	
		Condition:	Macular Edema Secondary to Branch Retinal Vein Occlusion (BRVO)
		Interventions:	Biological: Ranibizumab; Radiation: Grid & Direct short pulse laser photocoagulation
12	Recruiting	Long-Term Safety of Lampalizumab Intravitreal (ITV) Injections in Participants With Geographic Atrophy (GA) Secondary to Age-Related Macular Degeneration (OMASPECT)	
		Condition:	Geographic Atrophy
		Intervention:	Drug: Lampalizumab
13	Recruiting	Study of OZURDEX® in the Treatment of Diabetic Macular Oedema (DME) in Australia - The AUSSIEDEX Study	
		Condition:	Diabetic Macular Oedema
		Intervention:	Drug: dexamethasone intravitreal implant
14	Recruiting	Evaluation of a Treat and Extend Regimen of Intravitreal Aflibercept for Macular Edema Secondary to CRVO	
		Condition:	Central Retinal Vein Occlusion
		Intervention:	Drug: Eylea (Aflibercept, VEGF Trap-Eye, BAY86-5321)

37_Retinal Vein Occlusion

Rank	Status	Study	
1	Recruiting	Study to Show a Superior Benefit in Terms of Reduction of Ranibizumab Injections in Patients Receiving Ranibizumab Plus Laser Photocoagulation Combination Therapy Without Loss of Efficacy and Safety	
		Condition:	Macular Edema Secondary to Branch Retinal Vein Occlusion (BRVO)
		Interventions:	Biological: Ranibizumab; Radiation: Grid&Direct short pulse laser photocoagulation
2	Recruiting	Evaluation of a Treat and Extend Regimen of Intravitreal Aflibercept for Macular Edema Secondary to CRVO	
		Condition:	Central Retinal Vein Occlusion
		Intervention:	Drug: Eylea (Aflibercept, VEGF Trap-Eye, BAY86-5321)

38_Retinopathy of Prematurity

Rank	Status	Study
1	Recruiting	Oral Propranolol Improve Retinopathy of Prematurity Outcomes in Very Preterm Infants
		Condition: Retinopathy of Prematurity
		Intervention: Drug: Propranolol

39_Uveal Diseases

Rank	Status	Study
1	Recruiting	HUMIRA® Long-term Treatment in Patients With Non-infectious Intermediate-, Posterior-, or Pan-uveitis
		Condition: Uveitis
		Intervention:
2	Active, not recruiting	Safety and Efficacy Study of a Fluocinolone Acetonide Intravitreal (FAI) Insert in Subjects With Chronic Non-infectious Posterior Uveitis
		Conditions: Posterior Uveitis; Intermediate Uveitis; Panuveitis
		Interventions: Drug: Sham Injection; Drug: FAI Insert

40_Low Vision

Rank	Status	Study
1	Recruiting	CREATE - Children Reading With Electronic Assistance To Educate
		Conditions: Vision, Low; Child; Adolescent Development
		Intervention: Device: Tablet computer